

STACK MONITORING REPORT

Client's Name & Address Shreenath Mhaskoba Sakhar Karkhana Ltd, Shreenathnagar, Patethan, Po. Rahu, Tal -Daund, Pune.	Report No.	JV/14-15/54
	Dated	04/05/2015
	Lab Reference No.	JV/SMS/14-15/54
	Date of Analysis	13/03/2015

**RESULTS**

Sr. No.	Description	Unit	Results	MPCB Limits
01	Date of Sampling	DD/MM/YY	10/03/2015	
02	Test Location	--	Bagasse Fired Boiler stack (from Port)	
03	Time of Sampling	Hrs	14.00	
04	Material of Stack	--	RCC	
05	Stack Height from G.L.	mtr	65	
06	Type of Stack	--	Round	
07	Flue Gas Temperature	°K	373	
08	Velocity	m/s	6.99	
09	Stack Area	m <sup>2</sup>	7.065	
10	Particulate Matter	Mg/NM <sup>3</sup>	50.41	150 Mg/NM <sup>3</sup>
11	Sulphur Dioxide	Kg/day	38.68	600 Kg/day

- All above results are within MPCB Limits.

For JV Analytical Services

Prepared by

*Pringh*

Chemist

Checked by

*C. P. V. White*

Quality manager/Technical manager



ANALYTICAL  
SERVICES

STACK MONITORING REPORT

Client's Name & Address	Report No:	JV/15-16/111
To, Shreenath Mhaskoba Sakhar Karkhana Ltd, Shreenathnagar, Patethan, Po. Rahu, Tal - Daund, Pune.	Issue Date:	23/02/2016
	Lab Reference No.	JV/ SMS/15-16/123A
	Date of test item received:	21/02/2016
	Testing Date:	22/02/2016

RESULTS				
Sr. No	Particulars	Unit	Results	MPCB Limit
01	Date of sampling	DD/MM/YY	21/2/2016	
02	Test location		Bagasse fired Boiler stack (from Port)	
03	Time of sampling	Hrs.	14.30	
04	Material of stack	---	RCC	
05	Stack height from G.L.	Mtr.	65 Mtr.	
06	Type of stack	--	Round	
07	Flue gas temperature	°k	383	
08	Velocity	M/s	8.62	
09	Stack area	M <sup>2</sup>	7.06	
10	Particulate Matter	Mg/ NM <sup>3</sup>	78	150 Mg/ NM <sup>3</sup>
11	Sulphur Dioxide	Kg/day	62.45	1440kg/day

All above results are within MPCB Limits.

For JV Analytical Services

Checked by

*C.P. Vable*  
Quality manager/Technical manager

*D. D. D.*  
Chemist

1. Results relate only to the sample tested.
2. Tested sample(s) not drawn by the Laboratory.
3. Test report shall not be reproduced except in full, without written approval of the laboratory.
4. This report, in full or in part, shall not be used for advertising or legal action.



## TEST REPORT

Client Name & Address	Report No:	JV/15-16/192
To, Shreenath Mhaskoba Sakhar Karkhana Ltd., Shreenathnagar, Patethan, Post: Rahu, Tal: Daund, Pune	Issue Date:	24/11/2015
	Lab Reference No.	JV/SMS/15-16/174A
	Date of Test Item received:	16/11/2015
	Testing Date:	20/11/2015
Sampling Duration:	12.00 PM to 8:00 PM	Total Time: 8 Hrs.
Sampling Location:	Distillation	

## MONITORING RESULTS

Sr. No.	Parameter	Unit	RESULT
1	PM <sub>10</sub>	µg/m <sup>3</sup>	58.6
2	NO <sub>x</sub>	µg/m <sup>3</sup>	BDL
3	SO <sub>2</sub>	µg/m <sup>3</sup>	BDL

For JV Analytical Services

Checked by

Quality manager/Technical manager

  
Chemist

1. Results relate only to the sample tested.
2. Tested sample(s) not drawn by the Laboratory.
3. Test report shall not be reproduced except in full, without written approval of the laboratory.
4. This report, in full or in part, shall not be used for advertising or legal action.

-- End of The Report --



### TEST REPORT

Client Name & Address	Report No:	JV/15-16/193
To, Shreenath Mhaskoba Sakhar Karkhana Ltd., Shreenathnagar, Patethan, Post: Rahu, Tal: Daund, Pune	Issue Date:	24/11/2015
	Lab Reference No.	JV/SMS/15-16/175A
	Date of Test Item received:	16/11/2015
	Testing Date:	19/11/2015
Sampling Duration:	6.00 AM to 2:00 PM	Total Time: 8 Hrs.
Sampling Location:	Fermentation Near Lab	

### MONITORING RESULTS

Sr. No.	Parameter	Unit	RESULT
1	PM <sub>10</sub>	µg/m <sup>3</sup>	49.8
2	NO <sub>x</sub>	µg/m <sup>3</sup>	BDL
3	SO <sub>2</sub>	µg/m <sup>3</sup>	BDL

For JV Analytical Services

Checked by

*C. P. Vohra*

Quality manager/Technical manager

*Dannd*  
Chemist

1. Results relate only to the sample tested.
2. Tested sample(s) not drawn by the Laboratory.
3. Test report shall not be reproduced except in full, without written approval of the laboratory.
4. This report, in full or in part, shall not be used for advertising or legal action.

--- End of The Report ---



### TEST REPORT

Client Name & Address	Report No:	JV/15-16/212
To, Shreenath Mhaskoba Sakhar Karkhana Ltd., Shreenathnagar, Patethan, Post: Rahu, Tal: Daund, Pune	Issue Date:	21/01/2016
	Lab Reference No.	JV/SMS/15-16/193A
	Date of Test Item received:	11/01/2016
	Testing Date:	15/01/2016
Sampling Duration:	2.00 PM to 10:00 PM	Total Time: 8 Hrs.
Sampling Location:	Distillation	

### MONITORING RESULTS

Sr. No.	Parameter	Unit	RESULT
1	PM <sub>10</sub>	µg/m <sup>3</sup>	52.6
2	NO <sub>x</sub>	µg/m <sup>3</sup>	BDL
3	SO <sub>2</sub>	µg/m <sup>3</sup>	BDL

For JV Analytical Services

Checked by

*C.P. Vaidik*

Quality manager/Technical manager

*Dannd*  
Chemist

1. Results relate only to the sample tested.
2. Tested sample(s) not drawn by the Laboratory.
3. Test report shall not be reproduced except in full, without written approval of the laboratory.
4. This report, in full or in part, shall not be used for advertising or legal action.

--- End of The Report ---



### TEST REPORT

Client Name & Address	Report No:	JV/15-16/214
To, Shreenath Mhaskoba Sakhar Karkhana Ltd., Shreenathnagar, Patethan, Post: Rahu, Tal: Daund, Pune	Issue Date:	21/01/2016
	Lab Reference No.	JV/SMS/15-16/195A
	Date of Test Item received:	11/01/2016
	Testing Date:	18/01/2016
Sampling Duration:	6.00 AM to 2:00 PM	Total Time: 8 Hrs.
Sampling Location:	Fermentation Near Lab	

### MONITORING RESULTS

Sr. No.	Parameter	Unit	RESULT
1	PM <sub>10</sub>	µg/m <sup>3</sup>	52.0
2	NO <sub>x</sub>	µg/m <sup>3</sup>	BDL
3	SO <sub>2</sub>	µg/m <sup>3</sup>	BDL

For JV Analytical Services

Checked by

*C.P. Vihale*

Quality manager/Technical manager

*D. Anand*  
Chemist

1. Results relate only to the sample tested.
2. Tested sample(s) not drawn by the Laboratory.
3. Test report shall not be reproduced except in full, without written approval of the laboratory.
4. This report, in full or in part, shall not be used for advertising or legal action.

-- End of The Report --



## TEST REPORT

Client Name & Address To, Shreenath Mhaskoba Sakhar Karkhana Ltd., Shreenathnagar, Patethan, Post: Rahu, Tal: Daund, Pune	Report No:	JV/15-16/211
	Issue Date:	21/01/2016
	Lab Reference No.	JV/SMS/15-16/192A
	Date of Test Item received:	11/01/2016
Sampling Duration:	11.00 AM to 7:00 PM	Total Time: 8 Hrs.
Sampling Location:	Distillery Office	

## MONITORING RESULTS

Sr. No.	Parameter	Unit	RESULT
1	PM <sub>10</sub>	µg/m <sup>3</sup>	57.5
2	NO <sub>x</sub>	µg/m <sup>3</sup>	BDL
3	SO <sub>2</sub>	µg/m <sup>3</sup>	BDL

For JV Analytical Services

Checked by

C.P. *Vishale*

Quality manager/Technical manager

*Daund*  
Chemist

1. Results relate only to the sample tested.
2. Tested sample(s) not drawn by the Laboratory.
3. Test report shall not be reproduced except in full, without written approval of the laboratory.
4. This report, in full or in part, shall not be used for advertising or legal action.

-- End of The Report --



### TEST REPORT

Client Name & Address To, Shreenath Mhaskoba Sakhar Karkhana Ltd., Shreenathnagar, Patethan, Post: Rahu, Tal: Daund, Pune	Report No:	JV/15-16/191
	Issue Date:	24/11/2015
	Lab Reference No.	JV/SMS/15-16/173A
	Date of Test Item received:	16/11/2015
	Testing Date:	21/11/2015
Sampling Duration:	11.00 AM to 7:00 PM	Total Time: 8 Hrs.
Sampling Location:	Distillery Office	

### MONITORING RESULTS

Sr. No.	Parameter	Unit	RESULT
1	PM <sub>10</sub>	µg/m <sup>3</sup>	60.0
2	NO <sub>x</sub>	µg/m <sup>3</sup>	BDL
3	SO <sub>2</sub>	µg/m <sup>3</sup>	BDL

For JV Analytical Services

Checked by

*C.P. Vihale*

Quality manager/Technical manager

*D. J. ...*  
Chemist

1. Results relate only to the sample tested.
2. Tested sample[s] not drawn by the Laboratory.
3. Test report shall not be reproduced except in full, without written approval of the laboratory.
4. This report, in full or in part, shall not be used for advertising or legal action.

--- End of The Report ---





## BORE WELL WATER ANALYSIS REPORT

Client Name & Address	Report No:	JV/15-16/128
To, Shreenath Mhaskoba Sakhar Karkhana Ltd., Shreenathnagar, Patethan, Post: Rahu, Tal: Daund, Pune	Issue Date:	03/03/2015
	Lab. Reference No.	JV/SMS/15-16/145A
	Date of Test Item received:	21/02/2015
	Testing Date:	22/02/2015

## RESULTS

Sr. No.	Parameter	Unit	Bore well 1	Bore well 2
1	pH	--	7.6	7.8
2	Color	Hazen	Colorless	Colorless
3	Odour	--	Odourless	Odourless
4	Taste	--	Agreeable	Agreeable
5	Conductivity	µs/cm	618	672
6	Total Hardness as CaCO <sub>3</sub>	mg/l	120	144
7	Iron as Fe	mg/l	ND	0.02
8	Chlorides as Cl	mg/l	44	64
9	Dissolved Solids	mg/l	348	380
10	Calcium as Ca	mg/l	38	26
11	Magnesium as Mg	mg/l	41.4	48.5
12	Sodium as Na	mg/l	14.6	20.4
13	Sulphate as SO <sub>4</sub>	mg/l	50.2	60.8
14	Nitrate as NO <sub>3</sub>	mg/l	5.4	6.4
15	Arsenic as As	mg/l	ND	ND
16	Alkalinity	mg/l	145	152
17	Dissolved Oxygen	mg/l	4.2	3.8
18	BOD	mg/l	10.2	10.8
19	Total Coli	Per 100ml	626	734

For JV Analytical Services

Checked by

C.P. Vithale

Quality manager/Technical manager

D. D. D. D.  
Chemist

1. Results relate only to the sample tested.
2. Tested sample(s) not drawn by the Laboratory.
3. Test report shall not be reproduced except in full, without written approval of the laboratory.
4. This report, in full or in part, shall not be used for advertising or legal action.

--- End of The Report ---

JV ANALYTICAL SERVICES  
(ISO 9001:2008 & OHSAS 18001:2007)  
2nd & 3rd Floor, Samay Apartment, 40/A, Bheu Patil Road, Bopodi, Pune - 411020  
T: +91 75506 55988 | E: jvlabpune@gmail.com | W: www.jvanalyticalservices.com



### BORE WELL WATER ANALYSIS REPORT

Client Name & Address To, Shreenath Mhaskoba Sakhar Karkhana Ltd., Shreenathnagar, Patethan, Post: Rahu, Tal: Daund, Pune	Report No:	JV/16-17/169
	Issue Date:	15/04/2016
	Lab Reference No.	JV/SMS/16-17/215A
	Date of Test Item received:	04/04/2016
	Testing Date:	05/04/2016

#### RESULTS

Sr. No.	Parameter	Unit	Bore well 1	Bore well 2
1	pH	--	7.7	7.9
2	Color	Hazen	Colorless	Colorless
3	Odour	--	Odourless	Odourless
4	Taste	--	Agreeable	Agreeable
5	Conductivity	µsimen	632	661
6	Total Hardness as CaCO3	mg/l	110	153
7	Iron as Fe	mg/l	0.01	0.04
8	Chlorides as Cl	mg/l	48	70
9	Dissolved Solids	mg/l	312	381
10	Calcium as Ca	mg/l	40	37
11	Magnesium as Mg	mg/l	38.2	43.2
12	Sodium as Na	mg/l	10.8	15.4
13	Sulphate as SO4	mg/l	54.2	62.4
14	Nitrate as NO3	mg/l	4.8	5.1
15	Arsenic as As	mg/l	ND	ND
16	Alkalinity	mg/l	124	141
17	Dissolved Oxygen	mg/l	4.9	4.1
18	BOD	mg/l	10.9	11.6
19	Total Coli	Per 100ml	525	669

For JV Analytical Services

Checked by

*C.P. Vable*

Quality manager/Technical manager

*D. J. D. D.*  
Chemist

1. Results relate only to the sample tested.
2. Tested sample(s) not drawn by the Laboratory.
3. Test report shall not be reproduced except in full, without written approval of the laboratory.
4. This report, in full or in part, shall not be used for advertising or legal action.

--- End of The Report ---

JV ANALYTICAL SERVICES  
(ISO 9001:2008 & OHSAS 18001:2007)  
2nd & 3rd Floor, Samay Apartment, 40/A, Bhuu Patil Road, Bopodi, Pune - 411020  
T: +91 73506 58988 | E: jvlabpune@gmail.com | W: www.jvanalyticalservices.com

**AMBIENT NOISE MONITORING REPORT**



Annexure IV E  
**ANALYTICAL SERVICES**

<b>Client's Name &amp; Address</b> Shreenath Mhaskoba Sakhar Karkhana Ltd, Shreenathnagar, Patethan, Po. Rahu, Tal - Daund, Pune.	<b>Report No.</b>	JV/14-15/54
	<b>Dated</b>	04/05/2015
	<b>Lab Reference No.</b>	JV/SMS/14-15/54
	<b>Date of Analysis</b>	13/03/2015

**RESULTS**

Sr. No.	Test Location	Unit	Readings
01	Main Gate	dB(A)	58.5
02	Boiling house	dB(A)	65.2
03	Sugar House	dB(A)	61.4

**REMARK / OBSERVATIONS:**

**Limits:** Maharashtra Pollution Control Board has prescribed 75 dB (A) as an upper limit of Noise Level during day time and 70 dB (A) during night time.

**REMARKS / OBSERVATIONS:**

> BDL - Below Detected Limit.

**For JV Analytical Services**

Prepared by

*C. P. V. Chite*  
Quality manager/Technical manager



JV ANALYTICAL SERVICES

### AMBIENT NOISE MONITORING REPORT

Client's Name & Address	Report No.	JV/15-16/111
To, Shreenath Mhaskoba Sakhor Karkhana Ltd, Shreenathnagar, Palethan, Po. Rahu, Tal - Daund, Pune.	Issue Date:	23/02/2016
	Lab Reference No.	JV/SMS/15-16/123A
	Date of test item received:	21/02/2016

Sr. No.	TEST LOCATION	Unit	Reading
1.	MAIN GATE	dB(A)	55.2
2.	BOILING HOUSE	dB(A)	62.4
3.	SUGAR HOUSE	dB(A)	60.7

#### REMARK/ OBSERVATIONS:-

Limits: Maharashtra Pollution Control Board has prescribed 75dB(A) as an upper limit level during day time and 70 dB (A) during night time.

For JV Analytical Services

Checked by

*C. P. Vithale*

Quality manager/Technical manager

1. Results relate only to the sample tested.
2. Tested sample(s) not drawn by the Laboratory.
3. Test report shall not be reproduced except in full, without written approval of the laboratory.
4. This report, in full or in part, shall not be used for advertising or legal action.

*D. Patel*  
Chemist

---End of the Report---

Page 2 of 2

Phone : (020) 26902100 - 30 lines  
 Fax : (020) 26902244  
 E-mail : vslib@vsi.com  
 Web site : www.vsisugar.com



**VASANTDADA SUGAR INSTITUTE**  
 Manjari (Bk.) Tal. : Haveli, Dist. : Pune - 412 307 Maharashtra, India.

Page 1 of 1  
 VSI/EVS/FM/SI

**TEST REPORT**

UIN	1603-0405		
Name of Industry	Shreenath Mhaskoba SKL		
Address	Post-Rahu, Tal-Daund, Dist-Pune-412207		
Sample type/description	Compost		
Sample Quantity	One Kg.		
Sample Collected by	Customer		
Date of Receiving	04/03/2016		
Date of Analysis	04/03/2016 to 15/03/2016		
Sr. No.	Test Parameter	Test Value	Method
		Compost	
1	pH at 25 °C	7.35	--
2	Moisture	38.82	% The Fertilizer (Control) Order ,1985
3	Total Nitrogen	2.2	% The Fertilizer (Control ) Order ,1985
4	Total Phosphate	1.8	% IS:10158-1982 (IS:1035)
5	Total Potassium	2.8	% IS:10158-1982 (IS:1035)
6	C/N ratio	15.34	---- The Fertilizer (Control ) Order ,1985

Remark (If any):---  
 Report Date: 15/03/2016

Analysed By:

*[Signature]*

Authorized Signatory

*[Signature]*

Note: The above test values are related only to the item tested  
 The test report shall not reproduced in full without approval of the Laboratory  
 -----End of Test Report -----



## Shreenath Mhaskoba Sakhar Karkhana Ltd.

Shreenathnagar Patethan, Post-Rahu, Tal. Daund, Dist. Pune - 412 207 EPABX : 9923002924 / 8551858899

### Certificate of Analysis

Sample Name: Lechate Sample

Analysis Date: 06/12/2015

Sr. No.	Tests	Results
1	Colour	Faint Yellow
2	pH	7.59
3.	COD	525 mg/Lit
4	BOD	24 mg/Lit
5	Chlorides	527 mg/Lit

Distillery Manager

Shreenath Mhaskoba Sakhar Karkhana Ltd.,

Head Off. "Meghdoot Building", 2nd Floor, S. No. 1272, Behind Bharat Petrol Pump, Old Lokhandi, Pull Lane, Opp. Akashwani Centre,  
Hadapsar, Pune-411028. Tel: No. 1920 / 2692898 To Fax: (020) 26991240 Regd. No. U 15414 PNA 1992 FIC 13978  
E-mail: smak@rediffmail.com, smakho@rediffmail.com Website: www.shreenathsugar.com



**Shreenath Mhaskoba  
Sakhar Karkhana Ltd.**

Shreenathnagar Patethan, Post-Rahu, Tal. Daund, Dist. Pune - 412 207 F.P.B.X. - 9925002924 / 8551858899

**Certificate of Analysis**

Sample Name: Lechate Sample

Analysis Date: 10/02/2016

Sr. No.	Tests	Results
1	Colour	Faint Yellow
2	pH	7.65
3.	COD	570 mg/Lit
4	BOD	27 mg/Lit
5	Chlorides	530 mg/Lit

Distillery Manager

Shreenath Mhaskoba Sakhar Karkhana Ltd.,

Head Off. "Meghdoot Building", 2nd Floor, S. No. 1272 Behind Dharat Petrol Pump, Old Lokhandi-Pulk Lane, Opp. Akashwani Centre,  
Madapsar, Pune-411028. Tel.No. (020) 26782398 Tel. Fax. (020) 26991242 Regd. No. : U 15424 PNA 1899 PLC 13976  
E-mail : smkl@rediffmail.com, smsklna@rediffmail.com Website : www.shreenathnsugar.com

श्रीनाथ म्हास्कोबा साखर कारखाना लि. पुणे

प्रशा. प्रकार

सदोसाधारण

जमीन आरोग्य पत्रिका (सपि पानली)

OutWard No.

30-July-2016

भूखंडाचा नकाशा क्रमांक 2799S201600276001

जमीन आरोग्य पत्रिका क्रमांक

27250430725001430

सोळा गावे नाव

रोडिदास बबन लोखडे

राज्य

महाराष्ट्र

जिल्हा

पणे

तालुका

खेड

गाव

भरकळ

सधर्जे १ गट क्रमांक

1430

आधार क्रमांक  
भ्रमणध्वनी

क्र.सं.	गुणधर्म	पावट	सदोसाधारण मर्यादा	शेरा	विशेष सल्ला
1	सावू	6.81 सामू	6.5-7.5	उदासीन	
2	सावू (माती)	0.76 (मिसास)	0-1	साधारण	
3	शीटिंग काढता	0.48 (टक्के)	0.40-0.60	मध्यम	
4	रफुद	20.18 (किलो/ह)	14-21	मध्यम	
5	पालास	1081.93 (किलो/ह)	150-200	अत्यंत भरपूर	

जमीन मालक क्रमांक १	३२ (अवसाही)	0401b	पूर्वीचा पिक क्रमांक २	0000C
संपत्तीचे मूल्य	0.00 सामान्य		अपेक्षित उत्पन्न	0.00 सामान्य
व्याज	0.00		शेणखत	0.00
मक्याची जात	को86032		पिकाची जात	
पिकवत	25.00 टक्के/हेक्टर		शेणखत	
संपत्तीचे मूल्य			खताची आवश्यक मात्रा	
५00.00	200.00	100.00	३५	२५.५०
			५५	५५.५०
संपत्तीचे मूल्य	खताची आवश्यक मात्रा	(कि.ग्रा./हेक्टर)	रासायनिक खते	खताची आवश्यक मात्रा
५५.५०	परिमा	सिगास सुपर फॉस्फेट	दुग्धाच्या वेळा	परिमा
५५.५०	१०८.७०	६२५.००		सिगास सुपर फॉस्फेट
५५.५०	४३४.७८	०.००		२५.५० टोफा फोस्फ
५५.५०	१०८.७०	०.००		
५५.५०	४३४.७८	६२५.००		
५५.५०	१०८.७०	०.००		
५५.५०	४३४.७८	६२५.००		

Tip:

नोंद: हा अहवाल कोर्टाच्या कामासाठी चालणार नाही.

शेतकी  
श्रीनाथ  
पाटेठाण(एस. बी. टिकेकर)  
असि. वेज मॅनेजर



श्रीनाथ म्हस्कोबा साखर कारखाना लि. पुणे

प्रकार

सर्वसाधारण

जमीन आरोग्य पत्रिका (सति पालकी)

OutWard No.

30-July-2016

प्रमाणपत्र क्रमांक 2799S201600275001

जमीन आरोग्य पत्रिका क्रमांक

2/25093117600245

सातक यंत्रणा

कदम पादुरंग तुकाराम

राज्य

महाराष्ट्र

जिल्हा

पुणे

तालुका

ढोड

दिनांक

पिलावाडी

सहारे गट क्रमांक

245

आधार क्रमांक  
भ्रमणध्वनी

क्र.सं.	गणधर्म	वाचन	सर्वसाधारण मर्यादा	शेरा	विशेष सल्ला
1	सामु	7.45 सामु	6.5-7.5	किंचित अल्कली	जमिनीत सोडिय खत व ताग घेऊन उडीट मुग, शेवरी, मेलरी, सोडीया या सिस्केलच्या खताचा वापर करावा शिकारेंस नाही
2	दारुण (माती)	0.70 (मिस्का/स)	0-1	साधारण	
3	सोडिय कार्बोनेट	1.62 (टक्के)	0.40-0.60	अत्यंत भरपूर	
4	सुपूर	20.83 (किलो/ह)	14-21	अथवा	
5	पालाश	1070.00 (किलो/ह)	150-200	अत्यंत भरपूर	

जमीन पत्रिका क्रमांक 1	35 (अडसली)	0401b	पृथीक पत्रिका क्रमांक 2	0000C
सोडिय कार्बोनेट	0.00 सामान्य		अपेक्षित उत्पादन	0.00 सामान्य
सुपूर	0.00		शेराखत	0.00
सहारे गट क्रमांक	अ०८६०३२		पीकाची जात	
सहारे गट क्रमांक	25.00 टन/हेक्टर		शेराखत	
सहारे गट क्रमांक			खताची आवश्यक मात्रा	
सहारे गट क्रमांक	सुपूर	पालाश	ताग	सुपूर
सहारे गट क्रमांक	250.00	200.00	100.00	पालाश
सहारे गट क्रमांक	खताची आवश्यक मात्रा	(कि.ग्रा. हेक्टर)	सामान्यतः खत	खताची आवश्यक मात्रा
सहारे गट क्रमांक	सुपूर	सोडिय कार्बोनेट	सुपूर आणि कोरेंस	सुपूर आणि कोरेंस
सहारे गट क्रमांक	54.35	625.00	83.33	
सहारे गट क्रमांक	217.39	0.00	0.00	
सहारे गट क्रमांक	54.35	0.00	0.00	
सहारे गट क्रमांक	217.39	625.00	83.33	

Tip:

नोंद: हा अहवाल कोर्टाच्या कामासाठी चालणार नाही.

शेतकी  
श्रीनाथ  
पाटोलाण

(एस. बी. टिकोकर)  
असि. वैन प्रोड्यूसर